

STRATEGY 2: Limit or Eliminate Sugary Drinks; Provide Water

why does this matter?

Limiting sugary drinks is a key way to promote healthy eating and prevent excess weight gain in kids.¹ Research shows that sugary drinks contribute to childhood obesity.²

Sugary drinks provide a lot of calories very quickly. This is a problem because it's easy to drink more than your body needs before your body has a chance to signal that it is full. Also, sugary drinks are usually additions to your regular diet, adding calories that your body does not need.³

A 12-ounce serving of soda has the equivalent of 10 teaspoons of sugar.³ One serving of soda per day could lead to a 15 pound weight gain in one year.⁴ Each additional daily serving of soda increases a child's risk of obesity by 60%.⁵

Water provides a low-cost, zero-calorie beverage option and is a healthy alternative to sugary drinks. Drinking water is linked to a number of health benefits. It can improve kids' readiness to learn and is the best first choice for hydration before, during, and after most exercise routines.^{6,7}

References

1. Wang YC, Bleich SN, Gortmaker SL. Increasing caloric contribution from sugar-sweetened beverages and 100% fruit juices among US children and adolescents, 1988-2004. *Pediatrics*. Jun 2008;121(6):e1604-1614.
2. Malik VS, Schulze MB, Hu FB. Intake of sugar-sweetened beverages and weight gain: a systematic review. *The American journal of clinical nutrition*. 2006;84(2):274-288.
3. Moreno MA. Sugary drinks and childhood obesity. *Arch. Pediatr. Adolesc. Med.* 2009;163(4).
4. Apovian CM. Sugar-sweetened soft drinks, obesity, and type 2 diabetes. *JAMA*. 2004;292(8):978-979.
5. Ludwig DS, Peterson KE, Gortmaker SL. Relation between consumption of sugar-sweetened drinks and childhood obesity: a prospective, observational analysis. *The Lancet*. 2001;357(9255):505-508.
6. Patel AL, Hampton KE. Encouraging consumption of water in school and child care settings: access, challenges, and strategies for improvement. *Am. J. Public Health*. 2011;101(8):1370.
7. Schneider MB, Benjamin HJ. Sports drinks and energy drinks for children and adolescents: are they appropriate? *Pediatrics*. 2011;127(6):1182-1189.