

SITE KEY PLAN
SCALE: 1"=200'

STRUCTURE TABLE

NAME	DIA.	RIM	SUMP DEPTH	INV IN/SIZE/FROM	INV OUT/SIZE/TO
OIL WATER SEP.	4'	25.99	0'	18.50/6"S/GAR.	18.40/6"S/PUMP ST.
PUMP ST.	4'	28.20	0'	17.99/6"S/OIL WATER SEP.	25.00/2"FM/VALVE BOX
SMH1	4'	38.99	0'	35.00/2"FM/VALVE BOX	34.90/6"S/MAIN
VALVE BOX	2'X2'	27.03	0'	25.00/2"FM/PUMP ST.	25.00/2"FM/SMH1

PIPE TABLE


PIPE NAME	SIZE	LENGTH	SLOPE
FM1	2" FM	2'	N/A*
FM2	2" FM	117'	N/A*
PIPE S1	6" S	42'	0.0050
PIPE S2	6" S	78'	0.0050
PIPE S4	6" S	32'	0.1157

*SLOPE BACK TO PUMP STATION

41 Hutchins Drive
Portland, Maine 04102
800.426.4362 | www.woodardcurran.com

WOODARD & CURRAN

COMMITMENT & INTEGRITY DRIVE RESULTS



DATE	DESCRIPTION	BY	CHKD
03/18/2016	DESIGNED BY: DAS		
	DATE	DESCRIPTION	DATE
	REVISION	BY	DATE


UTILITY PLAN - 2

MAINE MEDICAL CENTER
BRANFALL STREET
PORTLAND, ME 04102

**MVC ST. JOHN STREET
EMPLOYEE PARKING GARAGE**

JOB NO: 023158.00
DATE: LINE 22, 2016
SCALE: 1"=20'
SHEET: 9 OF 17

C-105



LEVEL III SITE PLAN APPLICATION-NOT FOR CONSTRUCTION