



Plastic & Hand Codes

Breast Cancer	C50.X	C50.0-C50.929	Breast, Prostate, and Other Cancers and Tumors
Melanoma	C43.X	C43.0-C43.9	
Merkel Cell Carcinoma	C4A.X	C4A.0-C4A.9	
Pressure Ulcer of Skin	L89.X	L89.00-L89.9	Pressure Ulcer of Skin
Non-Pressure Chronic Ulcers	L97.X	L97.10-L97.92	Chronic Ulcer of Skin, Except Pressure
Gangrene	I96	-	Atherosclerosis of Extremity with Ulceration or Gangrene
Partial traumatic transphalangeal amputation of other and unspecified finger	S68.62X	S68.620S-S68.629S	Amputation Status, Lower Limb/Amputation Complication & Traumatic Amputation and Complications
Morbid Obesity	E66.X	E66.2, E66.01 & Z68.41-.45	Morbid Obesity
Diabetes with Complications (Type 1 or 2)	Type 1: E10.X	E10.21-E10.638, E10.649-E10.8	Diabetes with Chronic Complications
	Type 2: E11.X	E11.21-E11.638, E11.649-E11.8	
Diabetes without complications (Type 1 or 2)	Type 1: E10.9	-	Diabetes without Complication
	Type 2: E11.9	-	
Bipolar Disorder	F31.X		Major Depressive, Bipolar or Paranoid Disorders
Major Depressive Disorder	F32.X, F33	F32.0-F32.8, F33.0-F33.4, F33.8-F33.9	
Essential Hypertension	I10	-	Non-Specific Symptom Codes and Non-HCC Codes
Sleep Apnea	G47.X	G47.0-G47.9	
Basal Cell Carcinoma	C44.1X	C44.11-C44.1192	
Squamous Cell Carcinoma	C44.1X	C44.12-C44.1392	
Carpal Tunnel Syndrome	G56.X	G56.0-G56.03	
Trigger Finger	M65.3X	M65.30-M65.359	
Follicular Cyst	L72.X	L72.0-L72.3, L72.8-L72.9	
Osteoarthritis of first Carpometacarpal Joint	M18.X	M18.0-M18.5, M18.9	
Ganglion	M67.4X	M67.40-M67.49	
Pseudarthrosis after fusion or arthrodesis	M96.0	-	
Localized swelling, mass and lump of skin and subcutaneous tissue	R22.X	R22.0-R22.4, R22.9	
Bursopathy	M71.X	M71.0-M71.5, M71.8-M71.9	
Hyperthropy of Breast	N62	-	
Edema	R60.X	R60.0-R60.1, R60.9	
Cutaneous abscess	L02.X	L02.0-L02.9	
Cellulitis	L03.X	L03.01-L03.9	
Actinic keratosis	L57.0	-	

Please remember, the diagnoses chosen must meet MEAT criteria, one of the following has to be supported: M-Monitored, E-Evaluated, A-Assessed, T-Treated. Documentation must be complete and accurate before selecting the specific diagnosis code, and always choose the most specific/or combination ICD-10 CM code(s) to fully describe the patient condition(s).



- 1 element required per DX code; more is better
- These factors help providers to establish the presence of a diagnosis during an encounter (“if it wasn’t documented, it doesn’t exist”)
- Review problem list, document as ‘current’ or ‘active’
- Do not use ‘history of’ for chronic conditions unless is fully resolved. Instead use ‘stable

- Document anything that impacts your medical decision making** to reflect the complexity and level of care provided.
- Documentation improves care, coverage, costs and compliance.
- other commonly lost conditions: substance/alcohol abuse, AIDS or HIV, mental health severity and status